
DEHUMIDIFIERS ARIADRY DNC 65



EXTRA QUIET OPERATION

The new technology of DNC 65 allows an unbelievably quiet operation: only 34 dB(A)!



COMPACT AND EXTRA LIGHT

With a weight of only 5,5 Kg and only 18,7 cm width, DNC 65 is the lightest dehumidifier in the market, and among the most compact!

IONIZER AND PURIFIER

The built-in ionizer fills the air with healthy negative ions. Furthermore, the anti-bacterial filter cleans the air from dust and bacteria!



TECHNICAL DATA	
Dimensions (hxwxd) mm	478x187x324
Weight Kg	5,5
Voltage/Frequency V~ Hz	230 ~ 50
Dehumidification capacity* 1/24h	6
Input power W	495
Air flow m ³ /h	100-160
Tank capacity	2
Noise level dB(A)	34-44
Working range °C	1-40

^{*} even at very low temperatures

DNC 65

- Pull-up carry handle.
- Electronic antifreeze (down to 2°C).
- Continuous drain discharge.
- Three different dehumidification power levels: AUTO, MAX and MIN.
- Electronic shut-off timer up to 8 h.
- "Tank Control System": the unit automatically stops when the tank is full.
- SWING function: 3-position oscillating louvers to optimize the air distribution.
- Very noiseless operation: only 34 dB(A)!
- Clothes drying function: removes 6 I/d at any temperature condition, even the lowest ones.
- Separately controlled ionizer.
- Tank capacity: 2 litres.
- Visible tank water level.
- Antibacterial filter.
- New technology without refrigerant gas.



DEHUMIDIFIER

Ariadry DEC 21



Ariadry Combi dehumidifies and heats at the same time, cutting the operating time in half. Heating combined with dehumidification is very useful especially at low temperatures or when drying laundry.



EXTRACTABLE HANDLE

The practical handle allows an easy transport of the appliance from one room to another.



POWERFUL HEATING

Real heating appliances with a double step heating element, 1250 & 2000 W of heating power.



DEC 21

- COMBI FUNCTION: il collects up to 21 litres of moisture a day.
- Extractable handle.
- Large capacity tank: 4.0 litres.
- Humidistat to regulate the level of wanted humidity.
- Room thermostat: to set and automatically maintain the desired temperature.
- Double water draining system: it eliminates condenses in order to unload the removed humidity: in tank or uninterruptedly through an appropriate small tube.
- High power HEATING FUNCTION: it ensures beneficial warmth, thanks to its double step (1250 & 2000 W) built-in heating element.
- "Tank Control System": it interrupts the operation of the appliance when the tank is full. It works also with the continuous draining.
- Protected and approved control panel against the fall of water drops and to operate in damp rooms.
- Visible water level.
- The electronic antifreeze allows the operation of the appliance also with the lower temperature (until 2° C).
- Practical washable air filter: it filters the dust in the air.
- Ecological refrigerant gas.

TECHNICAL DATA Dimensions (hxwxd) mm 570x360x300 Weight Kg 16 Rated voltage/Frequency V~ Hz 230 ~ 50 Moisture removal* l/24h 18 Input power W 280 Heating power W 1250/2000 m³/h 160-240 Air flow Tank capacity 4 °C Working temperature 2-32

* 32°C/80%

Living innovation



DEHUMIDIFIERS

Ariadry DEM 10

ADJUSTABLE HUMIDISTAT



The built-in humidistat lets you precisely set the relative humidity you wish in the house.



VISIBLE WATER LEVEL

With the transparent tank you can easily see the dehumidifier performance while it is working.



ELECTRONIC ANTIFREEZE

With the electronic antifreeze you can use the dehumidifier at ambient temperatures down to 2°C.



VERY QUIET OPERATION

Thanks to its high quietness DEM 10 doesn't disturb your sleep!

38 dB(A)

TECHNICAL DATA	
Dimensions (hxwxd) mm	415x330x260
Weight Kg	10
Voltage/Frequency V~ Hz	230 ~ 50
Dehumidifying capacity 1/24h	10
Input power W	190
Air flow m ³ /h	100
Tank capacity I	2
Noise level dB(A)	38
Operation temperature range °C	2-32

^{* 32°}C/80%

DEM 10

- Pull up carry handle.
- Electronic antifreeze (down to 2°C).
- Humidistat to set the desired relative humidity level.
- Double condensate elimination system: the water can be either collected in a tank or eliminated through the provided discharge pipe.
- "Tank Control System": the unit stops when the tank is full.
- Very quiet operation: only 38 dB(A)!
- Washable air filter.
- Water tank capacity: 2 litres.
- Ecological Refrigerant Gas.





DEHUMIDIFIERS

DES 12



The bilateral airflow and **space-saving design** make these dehumidifiers suitable to be used anywhere.

They can even be placed close to the wall.





LIGHT WEIGHT

De' Longhi Ariadry Slim is very lightweighted. Thanks to its practical retractable handle and wheels, it can be easily moved from one room to another.



VISIBLE WATER LEVEL

With the transparent tank you can easily see the dehumidifier performance while it is working.



BIOSILVER TECH SYSTEM

The filter system is equipped with exclusive Bio Silver Technology. Thanks to its silver ion filter it keeps the air pure, and reduces the spread of bacteria.



DES 12

- Electronic anti-frost device (down to 2°C).
- Humidistat to set the desired relative humidity level.
- Double condense elimination system to discharge the removed humidity: directly into the tank or continuously through the provided pipe (2-m. hose)
- Bio Silver Tech System
- ■Water tank capacity: 3 litres
- Visible water level
- Tank Control System
- R134a ecologic gas
- Pull up carry handle
- Additional castors included in the package



TECHNICAL DATA	DES 12
Dimensions (hxwxd) mm	485x375x190
Weight Kg	9
Voltage/Frequency V/Hz	220-240/50
Dehumidifying capacity* 1/24h	12
Input pow er W	180
Air flow m ³ /h	160
Tank capacity	3
Noise level dB(A)	42
Working temperature °C	2-32°
Refrigerant gas	R134A
Fan speed	1
Adjustable humidistat	•
Electronic antifreeze	•
Bio Silver Tech System	•
Tank control system	•
Continuous draining safety system	•
Castors included in the package	•



DEHUMIDIFIERS

DES 14



The bilateral airflow and **space-saving design** make these dehumidifiers suitable to be used anywhere.

They can even be placed close to the wall.



LIGHT WEIGHT

De' Longhi Ariadry Slim is very light-weighted. Thanks to its practical retractable handle and wheels, it can be easily moved from one room to another.



VISIBLE WATER LEVEL

With the transparent tank you can easily see the dehumidifier performance while it is working.



BIOSILVER TECH SYSTEM

The filter system is equipped with exclusive Bio Silver Technology. Thanks to its silver ion filter it keeps the air pure, and reduces the spread of bacteria.



DES 14

DES 14

9

220-224/50

14

230

160

3

42

2-32°

R134A

1

•

•

mm 485x375x190

Kg

V/Hz

l/24h

m3/h

dB(A)

W

1

°C

- Electronic anti-frost device (down to 2°C)
- **Humidistat** to set the desired relative humidity level
- Double condense elimination system to discharge the removed humidity: directly into the tank or continuously through the provided pipe (2-m hose)
- Bio Silver Tech System
- ■Water tank capacity: 3 litres
- Visible water level
- ■Tank Control System
- R134a ecologic gas
- Pull up carry handle
- Additional castors included in the package





TECHNICAL DATA

Dimensions (hxwxd)

Voltage/Frequency

Dehumidifying capacity*

Weight

Input power

Tank capacity

Refrigerant gas

Working temperature

Adjustable humidistat

Electronic antifreeze

Tank control system

Bio Silver Tech System

Continuous draining safety system Castors included in the package

Noise level

Fan speed

Air flow